

### west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

October 28, 2014

### WELL WORK PLUGGING PERMIT

#### Plugging

This permit, API Well Number: 47-8501171, issued to JAY-BEE OIL & GAS, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. The above named operator will also file, as required in WV Code 22-6-23, an affidavit on form WR-38 by two experienced persons in the operator's employment and the Oil and Gas inspector that the work authorized under this permit was performed and a description given. Failure to abide by all statutory and regulatory provisions governing all duties and operations here under may result in suspensions or revocation of this permit and in addition may result in civil and/or criminal penalities being imposed upon the operator.

This permit will expire in two (2) years from date of issue. If there are any questions,

please free to contact me at (304) 926-0499 ext. 1654.

Chief

James Martin

Operator's Well No: 5

Farm Name: RINEHARD, H. N.

API Well Number: 47-8501171 Permit Type: Plugging

Date Issued: 10/28/2014

Promoting a healthy environment.

## **PERMIT CONDITIONS**

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit conditions may result in enforcement action.</u>

### **CONDITIONS**

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.
- 4. This well is under a consent order and must be plugged under the terms of that agreement.

WW-4B Rev. 2/01

1)Date	, 20
2) Operator's	
Well No. Rinehart 5	
3) API Well No. 47-	085 - 01171

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

	Location: Elevation 876'	Watershed Sheep Run		
5)	District Grant	County Ritchie Quadrangle Cairo 7.5'		
		22222332		
6)	Well Operator Jay-Bee Oil & Gas, Inc	7) Designated Agent		
	Address 3570 Shields Hill Rd	Address		
	Cairo, WV 26337			
8)	Oil and Gas Inspector to be notified			
	Name David Cowan	Name Patchwork Oil & Gas, LLC		
	Address 1597 Devil Hole Road	Address 8165 Elizabeth Pike		
	Harrisville, WV 26362-7543	Elizabeth, WV 26143		
14	Pull Inner Casing Strings as Required	. SET PLUG 2 FROM 1274' - 1174		
14 /	Pull Inner Casing Strings as Required 1654'-1634' 6% Gel, 1634'-1530' Ce 1530'-978' 6% Gel, 978'-878' Cement 1378'-200' 6% Gel, 200'-0' Cement	GEL HOLE TO 1100'.  SET PLUG 1 FROM 1640' - 1540  MENT PLUG 2 FROM 1274' - 1174  TRY TO PULL 65/8'.  GEL HOLE TO SUPPRICE.  SET PLUG 3 FROM 978' - 878'  SET PLUG 4 FROM 416' - 316'		
14 / 2 4	1654'-1634' 6% Gel, 1634'-1530' Cel 1530'-978' 6% Gel, 978'-878' Cement 378'-200' 6% Gel, 200'-0' Cement All plugs will be a minimum of 100' Class A Ceme	GEL HOLE TO 1100'.  SET PLUG 1 FROM 1640' - 1540  MENT PLUG 2 FROM 1274' - 1174  TRY TO PULL 65/8'.  SET PLUG 3 FROM 978' - 878'  SET PLUG 4 FROM 416' - 316'  SET PLUG 5 FROM 200' - EURI  ent, with no more than 3% CaCL and no other additives)  UO1100101-11911011110		
14 / 2 4	1654'-1634' 6% Gel, 1634'-1530' Ce 1530'-978' 6% Gel, 978'-878' Cement 378'-200' 6% Gel, 200'-0' Cement	GEL HOLE TO 1100'.  SET PLUG 1 FROM 1640' - 1540  MENT PLUG 2 FROM 1274' - 1174  TRY TO PULL 65/8'.  SET PLUG 3 FROM 978' - 878'  SET PLUG 4 FROM 416' - 316'  SET PLUG 5 FROM 200' - SURI  ent, with no more than 3% CaCL and no other additives)  U011001011 18110111101110111011110111101		
14 / 2 4	1654'-1634' 6% Gel, 1634'-1530' Cel 1530'-978' 6% Gel, 978'-878' Cement 378'-200' 6% Gel, 200'-0' Cement All plugs will be a minimum of 100' Class A Ceme	GEL HOLE TO 1100'.  SET PLUG 1 FROM 1640' - 1540  Ment  GET PLUG 2 FROM 1274' - 1174  TRY TO PULL 65/8'.  SET PLUG 3 FROM 978' - 878'  SET PLUG 4 FROM 416' - 316'  SET PLUG 5 FROM 200' - SURI  ent, with no more than 3% CaCL and no other additives)  UOIDDOING IPPLIANTED		

### WEST VIRGINIA DEPARTMENT OF MINES OIL & GAS DIVISION WEIL RECORD

Permit No. Rit 1171 Harrisvillo Quad.

Company Addross

Location Well No. District

Commoncod Comploted Duto shot.

011

Farm Surface Minoral

Frosh wator Salt Water

Shoop Run **5**. . Elcv. 681.1 Grazt Ritchio County H.N. Rinchart, Cairo, W.Va. Samo May 8,1947 Juno 14,1947 6-24-47 Dopth 164? to 1656 with 40 qts. glycorino 2 bbls. 1st.24 hrs. 451 3 blrs. in 12 lirse 990° 2 blrs. por hr.

Acros 75

H.N. Rinchart

Cairo, W.Va.

Samo

Band Th H 635 65C Pink Rock B 865 870 Sand Big Dunkard H 670 880 Sand iih 8 978 994 Sand Wh H 1238 1255 Sand Th H 1274 1295 Show gas1280 Sand Wh H 3.325 1425 Magan Wh S 1018 1660 Oil 1647-1656 Total Dopth 1664

Gas Woll CASING & TUBING

8 416 Pld. 6 5/8 11.09 loft in

WW-4A Revised 6-07

1) Date:					
2) Operator's Well Number Rinehart 5					
3) API Well No.: 47 -	085		01171		

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

4)	Surface Ow (a) Name	ner(s) to be served: Kenneth & Melissa McPherson	5) (a) Coal Operator Name	N/A
	Address	43 Forsythia Ave	Address	
	(b) Name	Davisville, WV 26142	(b) Coal Own	ner(s) with Declaration
	Address		Name	N/A
	11441000		Address	
	(c) Name		Name	N/A
	Address	<u> </u>	Address	
6) [	Inspector	David Cowan	(c) Coal Less	see with Declaration
	Address	1597 Devil Hole Road	Name	N/A
		Harrisville WV 26362-7543	Address	
	Telephone	304-389-3509		
		DOONG MAKED ADO		2 10 10 10 10 10 10 10 10 10 10 10 10 10

#### TO THE PERSONS NAMED ABOVE: You should have received this Form and the following documents:

- (1) The application to Plug and Abandon a Well on Form WW-4B, which sets out the parties involved in the work and describes the well its and the plugging work order; and
- (2) The plat (surveyor's map) showing the well location on Form WW-6.

The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverses side. However, you are not required to take any action at all.

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Department of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.

Well Operator	r Jay-Bee Oil & Gas, Inc Shane Dowell	
Notary Public, State Of West Virginia Its:	Office Manager	
1113 Patterson Fork Road Address	3570 Shields Hill Rd	ENVIRONMENTAL FLOREGION
Salem WV 26426 My commission expires May 12, 2033	Cairo, WV 26337	AAA wown indog AAA
minimum Telephone	304-628-3111	to trempreded you
9+	day of Septemb	SEP 1 5 2014
Sheesa K. Ritter		Notary Publice O bas IIO to eatily
My Commission Expires	d, <u>2033</u>	ИЕСЕІЛЕР.

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at <a href="mailto:depprivacyoffier@wv.gov">depprivacyoffier@wv.gov</a>.

7280	(Domestic Mail C	MAIL RE	Coverage Provided)
52	OFF	ICIAL	USE
1757	Postage	s 1.11	2545.6
-	Certified Fee	3,30	/ CEL
0003	Return Receipt Fee (Endorsement Required)		Postmark Horg
20	Restricted Delivery Fee (Endorsement Required)		2010
חח	Total Postage & Fees	\$	K. K. S. de.
7013	or PO Box No. 43	Forsythia	
	PS Form 3800, August 2	THE RESIDENCE OF THE PARTY OF T	See Reverse for Instructions

Office of Oil and Gas

SEP 15 2014

Environmental Protection

WW-9 Rev. 5/08

	Page _		of	
API Number 47 -	085		01171	
Operator's Well No	Rinehar	5		

### STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

				8501(11)
WW-9 Rev. 5/08		Operato	Page	of
DEPA	STATE OF WEST RTMENT OF ENVIRONM OFFICE OF OIL	MENTAL PROTE	ECTION	CK44325
	CLAMATION PLAN AND PERMIT FOR OIL AND G			FORM
Operator Name_Jay-Bee Oil & Gas,	nc	OP C	Code 24610	
Watershed Sheep Run		drangle Cairo 7		
Elevation 876'	_ County Ritchie	D	istrict_Grant	
Description of anticipated Pit Waste: FC	rmation Fluids			
Will a synthetic liner be used in the pit?	Yes ZOMIL.			
Proposed Disposal Method For Treated Proposed Disposal Method For Treated Proposed Land Applicati    X	it Wastes: on njection ( UIC Permit Numbe		ı	
Proposed Work For Which Pit Will Be Us  Drilling Workover Other (Explain	x	_ Swabbing _ Plugging		
I certify that I understand and ag on August 1, 2005, by the Office of Oil ar provisions of the permit are enforceable law or regulation can lead to enforcement I certify under penalty of law tapplication form and all attachments the obtaining the information, I believe that penalties for submitting false information Company Official Signature Company Official (Typed Name)	nd Gas of the West Virginia I by law. Violations of any te action. that I have personally examinereto and that, based on me the information is true, according the possibility of the including the possibility of the information is true, according to the informa	Department of Enverm or condition of ined and am fami	rironmental Protection.  If the general permit and  liar with the information  is individuals immedia  lete. I am aware that	I understand that the d/or other applicable on submitted on this
Company Official Title Office Mai	nager		randagas	STUDIORD
Company Official Title			En VENDAS	TO THE GOLD
Subscribed and sworn before the diff	th day of Sep	tember	, 20 NU Play Pro	Partinent of Discilor
Sheusa K. Ritt  My commission expires Ma	y 13. 2033	5	Notary Pu	Official Seal ublic, State Of West Virginia Theresa K Ritter 3 Patterson Fork Road Sales: "WY 26426 mission expires May 12, 2033

	1	EGEND	
Property Boundary		Diversion (1:11111111111111111111111111111111111	
Road = = = = =	. = = = = =	Spring	
Existing Fence — X —	_ × — × —	Wet Spot	
Planned Fence / _	-/-/-	Drain Pipe with size in inches	
Stream		Waterway C+ C+C	$\rightarrow$ $\Longleftrightarrow$
Open Ditch		Cross Drain	
Rock 685888	-	Artificial Filter Strip XXXXX	XXXXXXXXXXXX
North N		Pit: cut walls	
Buildings		Pit: compacted fill walls	
Water wells		Area for Land Application of Pit	Waste
Drill site		6=2	
Fertilizer (10-20-20 o	Tons/acre or to correct to pH	Prevegetation pH 6.5 acre (500 lbs minimum)	6-0
<sub>Mulch</sub> hay / 2	Tons/ac	cre	
	AND CONTRACT COLOR		
	Seed	Mixtures	
Area		Area	
Seed Type	lbs/acre	Seed Type	lbs/acre
KY-31	40		
Alsike Clover	5		
Annual Rye Grass	15		
Orchard Grass	15	•	
Attach: Drawing(s) of road, location,p	oit and proposed area for land appl	lication.	WV Department of Environmental Protection
Photocopied section of involv	ed 7.5' topographic sheet.		Q //W
			SEP I 5 2014
Plan Approved by:	and en langer	~	Office of Oil and Gas
	100	11	Office
Comments:	m Sled & m	ulch	
Title: ailaga	s susperlor	Date: 9-12-19	





